



### Aerodynamic characteristic:

- measured in full bell mouth without guard grill
- installation category A according to ISO 5801

### Sound power level:

- measured on pressure side 1m from fan mounted in full bell mouth without guard grill
- measured according to ISO 3741

The values given may vary according to actual installation in the unit

### Definition of symbols

**U [V]** Supply voltage

**f [Hz]** Frequency

**n [RPM]** Fan speed

**q<sub>v</sub> [m<sup>3</sup>/h]** Air flow

**p<sub>sF</sub> [Pa]** Pressure drop

**P<sub>e</sub> [W]** Power input

**I [A]** Current

**L<sub>wA</sub> [dB]** Sound power level A weighted

**T<sub>a max</sub> [°C]** Max. ambient temperature

	<b>U</b> [V]	<b>f</b> [Hz]	<b>n</b> [RPM]	<b>q<sub>v</sub></b> [m <sup>3</sup> /h]	<b>p<sub>sF</sub></b> [Pa]	<b>P<sub>e</sub></b> [W]	<b>I</b> [A]	<b>L<sub>wA out</sub></b> [dB (A)]	<b>T<sub>a max</sub></b> [°C]
1	230	50	1650	2570	0	84	0,69	66	65
2	230	50	1650	2390	30	99	0,80	65	65
3	230	50	1650	2150	65	112	0,88	64	65
4	230	50	1650	1820	100	123	0,96	64	65
5	230	50	1400	2181	0	53	0,46	62	65
6	230	50	1400	2028	22	66	0,52	61	65
7	230	50	1400	1824	47	71	0,57	60	65
8	230	50	1400	1544	72	77	0,63	60	65
9	230	50	1150	1791	0	31	0,27	57	65
10	230	50	1150	1666	15	37	0,32	56	65
11	230	50	1150	1498	32	41	0,34	55	65
12	230	50	1150	1268	49	45	0,37	55	65
13	230	50	900	1402	0	18	0,16	51	65
14	230	50	900	1304	9	20	0,17	50	65
15	230	50	900	1173	19	23	0,20	49	65
16	230	50	900	993	30	24	0,20	49	65